EMTEK

List prices inside include 3% Increase

Effective July 10, 2026

HOUSE OF ROHL

PRESENTS

EMTEK



2026 MULTI POINT LOCK TRIM PRICE BOOK

HOUSE OF ROHL®

PRESENTS

THE STORY OF A LIFE WELL CRAFTED™

We believe distinctive stories are what make life exceptional.

At House of Rohl®,
A portfolio of luxury décor brands,
We pursue the discovery of time-honored craft
That opens the door to stories unlike any other.


Stories of place and provenance.
Stories of dedication and passion.
Stories of artistry and heritage.

Through our collection of brands, you will find storied details that bring endless curated design possibilities.
And the closer you look, the more you will see the details of your own story.

The story of a life well crafted.

Riobel | PERRIN & ROWE® LONDON | 1897 SHAWS ENGLAND | victoria + albert® | ROHL

Schaub | EMTEK®



HOUSE OF ROHL®

PRESENTS

EMTEK®

DISTINCTIVE AND TIMELESS DESIGNS, CUSTOMIZED IN LOS ANGELES

For over 40 years, Emtek has helped design lovers transform houses into homes with award-winning, customizable door and cabinet hardware. By offering unique designs that are attainable, we elevate the ordinary to the extraordinary.

Cover design features: Turino Levers with
Brass Large Melrose Style in Polished Brass – Lifetime, American Cylinder Keyed


EMTEK MULTI POINT LOCK TRIM FOR SWINGING DOORS

CHOOSE TRIM SETS FROM DOOR & LOCK CONFIGURATIONS, AVAILABLE IN BOTH KEYED AND NON-KEYED FUNCTIONS

Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retrofitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed below.


>> To determine your Multi Point Lock configuration:

1) Identify the manufacturer of your door and multi-point lock
2) Measure the center-to-center hole spacing between the lever and the cylinder
3) Check the lever position: is it above or below the cylinder?
4) Identify the type of cylinder used in the door: Is it an American or Euro Profile Cylinder?



Large Multi Point Entry Set 16


American Cylinder Hub Above/Below Handle,
3⅝" Center-to-Center
ref. G-U®



Large Multi Point Entry Set 21

Euro Cylinder Hub Below Handle,
3⅝" Center-to-Center
ref. G-U®


PAGE



Door Configuration #1 26

American Cylinder Hub Below Handle, 3⅝" Center-to-Center


ref. Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Elevate®, Paddock Lockmaster™, Superior®



Door Configuration #2 32

American Cylinder Hub Above Handle, 3⅝" Center-to-Center


ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®



Door Configuration #3 38

American Cylinder Hub Above Handle, 4⅛" Center-to-Center


ref. Andersen®



Door Configuration #4 44

American Cylinder Hub Above Handle, 3⅝" Center-to-Center


ref. Ashland®, G-U®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®



Door Configuration #5 50

Euro Profile Cylinder Below Handle, 3⅝" Center-to-Center


ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Paddock Lockmaster™, Peachtree®, Semco®, Sierra, Oknoplast®, Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®



Door Configuration #6 56

American Cylinder Hub Below Handle, 3⅝" Center-to-Center


ref. Milgard®, Pella®



Door Configuration #7 62

American Cylinder Hub Above Handle, 6" Center-to-Center

ref. Trillenium® (formerly W&F Manufacturing)



Door Configuration #8 67

American Cylinder Hub Above Handle, 5¼" Center-to-Center

ref. Neuma Doors®

Product Index 72


Order Form 74


Lifetime Limited Warranty 75


Door Manufacturers listed under each configuration are for reference only and are subject to change. Some retrofitting may be necessary. Please carefully measure and identify your hardware using the diagrams and steps listed on pages 4 and 5.


G-U® is a registered trademark of G-U Hardware, Inc., Paddock™ is a registered trademark of Yale® UK. Pella® is a registered trademark of Pella Corporation. Sierra Pacific Windows® is a registered trademark of Sierra Pacific Industries. Superior® is a registered trademark of Superior Engineered Products Corporation. Willmar® is a registered trademark of JELD-WEN of Canada Ltd. Andersen® is a registered trademark of Andersen Corporation. Trillenium® is a registered trademark of Endura Products, Inc., Eagle® is a registered trademark of Eagle Window and Door, Inc., BiltBest® is a registered trademark of BiltBest Windows and Patio Doors. Ashland® is a registered trademark of Ashland Products, Inc., Caradco®, JELD-WEN, Norco®, and Pozzi® are registered trademarks of JELD-WEN Inc. Oregon, USA. Integrity® and Marvin® are registered trademarks of Marvin Windows and Doors. Milgard® is a registered trademark of Milgard Windows, Inc., Therma-Tru® is a registered trademark of Therma-Tru Doors®. HOPPE® is a registered trademark of HOPPE North America, Inc., Hurd® is a registered trademark of Hurd Millwork Company. Kolbe & Kolbe® is a registered trademark of Kolbe & Kolbe Millwork Company, Inc., Lincoln® is a registered trademark of Lincoln Wood Products, Inc., Loewen® is a registered trademark of Loewen Windows. PGT® is a registered trademark of PGT Industries. Peachtree® and Vetter® are registered trademarks of The Peachtree Companies, Inc., Semco® is a registered trademark of Semling-Menke Co. Inc., Weathershield® is a registered trademark of Weathershield Mfg. Inc., KML by Andersen® is a registered trademark of KML by Andersen. Atrium® is a registered trademark of Atrium. KFV® is a registered trademark of KFV. Simpson® is a registered trademark of Simpson. Signature® is a registered trademark of Signature. Crestline® is a registered trademark of Crestline. Windsor® is a registered trademark of Windsor. Neuma Doors® is a registered trademark of Nan Ya Plastics Corporation. Oknoplast® is a registered trademark of Oknoplast. With the exception of Paddock™, none of the aforementioned companies are affiliated with EMTEK Products Group LLC.

***Unlacquered Brass (US3NL)** is a custom, made-to-order finish. It is available with an upcharge, per item and requires an additional 2-3 day lead time. This living finish will gracefully age and evolve in appearance over time. Because of this characteristic, no finish warranty is offered on unlacquered brass products.


Polished Brass - Lifetime (US3)



Unlacquered Brass (US3NL)*



Satin Brass (US4)



French Antique (US7)


Oil Rubbed Bronze (US10B)


Polished Nickel - Lifetime (US14)


Satin Nickel (US15)


Pewter (US15A)


Flat Black (US19)


Polished Chrome (US26)

Bronze Patina is a living finish that will age gracefully, revealing the underlying bronze over time. Because of this characteristic, no finish warranty is offered on bronze patina products.


Flat Black Bronze Patina (FB)


Medium Bronze Patina (MB)


Tumbled White Bronze (TWB)

ORDERING AND RETURNS

Placing Orders
You have several options to place an order:
- Email: orders@emtek.com
- Phone: 800-356-2741
- Fax: 800-577-5771
- Online: https://customerconnect.fbin.com/SignIn

Hours of Operation
Monday – Friday: 5:00 AM - 5:00 PM Pacific Time.

Minimum Order Requirements
There are no minimum order quantity requirements.

Payment Terms
Net 30 Days on established credit.

Payment Options
We accept check, Visa, MasterCard, Discover, AMEX, and ACH.

Sales Tax
Sales tax charges apply unless a resale certificate is provided.

Prices
All prices listed are in US funds. Our prices are subject to change without prior notice.

Product Care
Clean products with a damp, non-abrasive cloth using mild dishwashing liquid and warm water. Wipe dry with a soft cloth; avoid harsh cleaners or waxes to preserve the finish and warranty. Prevent water or soap residue to maintain the protective coating.

Shipping Claims
All shipping claims must be submitted in writing within 30 days after the scheduled delivery for packages that have been lost or damaged. Please include the EMTEK order # and/or your PO#, package's tracking number along with photos for any damaged packages.

Returns
- For your convenience, returns within the United States do not require authorization. Returns can be processed directly from the Emtek Customer Portal https://customerconnect.fbin.com/SignIn or Emtek Dealer Site (https://www.emtek.com/dealer-sign-in/).
  - All returns from outside of the United States will require pre-authorization. Please contact Emtek Customer Service at 800-356-2741, option 1 or email your request to rga@emtek.com.
  - EMTEK Customer Portal: Log in, go to Order Management, find your order under Shipped, and select Return Request. If a UPS call tag is needed, you'll be prompted to generate one after submitting the request. Terms and conditions apply—see website for details.
  - EMTEK Dealer Site: After logging in, select Returns. Fill out the RGA form and follow the link to generate a UPS call tag. Terms and conditions apply – see the website for details.
- Returns will only be accepted for products shipped within 180 days of invoice date.
- A completed RGA form must accompany all packages for returned goods.
- Returns are accepted from the EMTEK dealer who originally purchased the product that is being returned. Any refund or credit would only be made to the original dealer.
- All returned goods are subject to a minimum 25% restocking fee.
- Returns for reasons other than an EMTEK factory or processing error will be subject to our customary restocking fee with a return freight charge of $20 per label/carton in the United States or $35 per label/carton in Canada or Mexico. This charge will be deducted from the credit issued for each call tag.

SHIPPING AND FREIGHT

Shipping Costs
All orders are FOB shipping point. For shipments to a dealer-specified commercial address located in the US, Canada and Mexico, EMTEK ships freight prepaid. For shipments to dealers located outside of North America, freight will be prepaid by EMTEK and to the U.S. location of the dealer's freight forwarder. Orders may ship ground service or LTL at our discretion. Orders shipping to a residential address will automatically ship via ground service with a 10% surcharge.

Shipping Options
Shipments may be expedited for a fee. Unfortunately, a dealer's freight account cannot be used to pay for shipping charges.

Delivery Location	Type of Service	Surcharge %*
Commercial Address	Next Day	16%
Commercial Address	Second Day	6%
Residential Address	Next Day	25%
Residential Address	Second Day	20%
Residential Address	Three Day	15%
Residential Address	Ground (Default Service)	10%

*Multiplied by invoice value

Order Lead Time
EMTEK assembles all products to order in our Southern California facility. Orders typically ship within two to three business days once an order is released to the factory.

DEALER INFORMATION PORTAL

Online Account Access and Ordering
We are pleased to offer you access to your EMTEK account information, place new orders, and initiate Product Returns (RGA) through the EMTEK Customer Portal. Through the customer portal, you can access information about your account at any time. You can:

- Check on the status of orders
- View both order and sales history
- View and print order acknowledgments, invoices, statements, and credits
- Track shipments
- Initiate Product Return/RGA
- Pay invoices via credit card

To register for the EMTEK Customer Portal, please complete our registration form at customerconnect.fbin.com/registration/. If your business already has an Administrative user, please coordinate with them for access. Should you have any questions, feel free to contact Customer Service.

NO CHARGE SAMPLE PROGRAM

Samples are gladly provided at no charge to authorized dealers under the following conditions:

- ½ Door Lock Dummy (max 2)
- ½ Pair of Hinges (max 2)
- Cabinet Knob or Pull (max 3)
- Door Accessory (max 1)

A shipping and handling fee of $2.50 per sample will be applied to your order ($2.50 for one sample, $5.00 for two samples, $7.50 for three samples, etc.)

Sample Order Exceptions
- Samples must be different product codes.
- Samples do not include active door hardware sets, 8" or larger cabinet pulls, door pulls, appliance pulls, electronic locks, entry sets, bath hardware or door accessories over $75 list price.

Placing a Sample Order
- Send orders to samples@emtek.com or place by fax, phone or mail.
- Write "NO CHARGE SAMPLE" on the order.
- Standard shipment upgrade charges will apply for expedited freight requests.
- Orders for sample products must be placed separately and not combined with other products.
- EMTEK does not require samples to be returned.

No Restocking Fee Charged for Sample Orders with Exceptions
- Send orders to samples@emtek.com or place by fax, phone or mail.
- Write "DEALER SAMPLE" on the order.
- Keep the samples you want and return the samples you don't.
- Contact Customer Service for Return Authorization in advance to ensure a restock fee is not applied to the return.
- Product must be returned in its original condition.
- Return freight charge of $20 per label/carton in the United States or $35 per label/carton in Canada or Mexico. This charge will be deducted from the credit issued for each call tag.
- No freight will be charged if the return is sent prepaid.

DISPLAY PROGRAM

EMTEK offers a variety of quality, well-crafted displays. We take great pride in the quality of our displays, which are hand-built in our Southern California facility by our talented craftsmen.

Log into the "Dealer Sign In" (https://www.emtek.com/dealer-sign-in/) and then select "Product Displays".

Placing a Display Order
Please contact your local sales representative for ordering information.

Product for use on Displays in your Showroom
Thank you for considering EMTEK products for use on door displays and kitchen/bath vignettes installed in your showroom. Please contact your local sales representative for ordering information.

MINIMUM ADVERTISED PRICE POLICY

Effective February 6, 2017

EMTEK has determined that in order to better compete against existing competitors it must exercise a greater degree of control over the distribution of its products. Therefore, all sales of EMTEK products will be subject to this Policy. This Policy has been unilaterally adopted and will be enforced strictly and uniformly.

Although resellers remain free to establish their own resale prices, to the extent that any customer elects to advertise products of EMTEK in any manner, that is in print, in electronic media, on its website, etc., and provides price information for such products, that price information must be no less than List Price less 20%, this is the Minimum Advertised Price (MAP). Advertisements and offers to sell that do not include a particular price, but require further action that implies a price that is lower than the Minimum Advertised Price violate the MAP Policy. Examples of such unauthorized advertisements include "drop in cart" pricing, "add to cart" pricing, "click to see" pricing, and discount coupon pricing. Also prohibited are advertisements that indicate that discounts may be available when a customer takes specific action that goes beyond buying the product, such as "special price option" or "name your price."

To assure fair business practices, we will strictly enforce this policy. Violations of this MAP Policy will include termination of our business relationship with a customer. On the first offense there will be a written notice counseling any customer that disregards this policy. Any customer who violates the policy a second time, within one year of receiving a written notice of a first violation, will be terminated.

EMTEK will not discuss any conditions of acceptance related to this Policy, as it is non-negotiable and will not be altered for any dealer. In addition, EMTEK neither solicits, nor will it accept, any assurance of compliance with this Policy. Nothing in this Policy shall constitute an agreement between EMTEK and any reseller that the reseller will comply with this Policy. For more information, please email to: mapp.emtek@emtek.com

SELECT BRASS LEVERS


L-Square Faceted
(LS.FA)


L-Square Hammered
(LS.HA)


L-Square Knurled
(LS.KN)


L-Square Straight Knurled
(LS.SK)


L-Square Tribeca
(LS.TR)


L-Square Smooth
(LS.SM)


L-Square Green Marble
(LS.MRGN)


L-Square Rosso Levanto
(LS.MRRD)


L-Square White Marble
(LS.MRWH)


L-Square Light Terrazzo
(LS.TZLT)


L-Square Dark Walnut
(LS.WNWD)


T-Bar Faceted*
(TA.FA)


T-Bar Hammered*
(TA.HA)


T-Bar Knurled*
(TA.KN)


T-Bar Straight Knurled*
(TA.SK)


T-Bar Tribeca*
(TA.TR)


T-Bar Smooth*
(TA.SM)


T-Bar Green Marble*
(TA.MRGN)


T-Bar Rosso Levanto*
(TA.MRRD)


T-Bar White Marble*
(TA.MRWH)


T-Bar Light Terrazzo*
(TA.TZLT)


T-Bar Dark Walnut*
(TA.WNWD)


R-Bar Faceted
(RA.FA)


R-Bar Hammered
(RA.HA)


R-Bar Knurled
(RA.KN)


R-Bar Straight Knurled
(RA.SK)


R-Bar Tribeca
(RA.TR)


R-Bar Smooth
(RA.SM)


R-Bar Green Marble
(RA.MRGN)


R-Bar Rosso Levanto
(RA.MRRD)



R-Bar White Marble
(RA.MRWH)


R-Bar Light Terrazzo
(RA.TZLT)


R-Bar Dark Walnut
(RA.WNWD)

* Note: You will need to ensure the necessary opening/closing clearance when using certain lever designs. Dimensions from the center of the stem to the end of the lever overhang have been provided: T-Bar ¾".

Determining handing for door hardware is different than determining handing for carpentry (ordering and hanging doors). If you follow the standard carpentry rules for handing door hardware, instead of following the diagram below, there is a good chance you may end up with a lock that is handed incorrectly. Please refer to the diagram below and if you have any questions, call Customer Service at (800) 356-2741, Option 1.



HANDING OF DOOR IS ALWAYS DETERMINED FROM THE OUTSIDE

SELECT Brass Levers

	US4	US7	US10B	US14 Lifetime	US15	US15A	US19	US26	US3NL
L-Square Faceted (LS.FA)	●	●	●	●	●		●	●	●
L-Square Hammered (LS.HA)	●	●	●	●	●		●	●	●
L-Square Knurled (LS.KN)	●	●	●	●	●	●	●	●	●
L-Square Straight Knurled (LS.SK)	●	●	●	●	●	●	●	●	●
L-Square Tribeca (LS.TR)	●	●	●	●	●		●	●	●
L-Square Smooth (LS.SM)	●	●	●	●	●	●	●	●	●
L-Square Green Marble (LS.MRGN)	●	●	●	●	●	●	●	●	●
L-Square Rosso Levanto (LS.MRRD)	●	●	●	●	●	●	●	●	●
L-Square White Marble (LS.MRWH)	●	●	●	●	●	●	●	●	●
L-Square Light Terrazzo (LS.TZLT)	●	●	●	●	●	●	●	●	●
L-Square Dark Walnut (LS.WNWD)	●	●	●	●	●	●	●	●	●
T-Bar Faceted (TA.FA)	●	●	●	●	●		●	●	●
T-Bar Hammered (TA.HA)	●	●	●	●	●		●	●	●
T-Bar Knurled (TA.KN)	●	●	●	●	●	●	●	●	●
T-Bar Straight Knurled (TA.SK)	●	●	●	●	●	●	●	●	●
T-Bar Tribeca (TA.TR)	●	●	●	●	●		●	●	●
T-Bar Smooth (TA.SM)	●	●	●	●	●	●	●	●	●
T-Bar Green Marble (TA.MRGN)	●	●	●	●	●	●	●	●	●
T-Bar Rosso Levanto (TA.MRRD)	●	●	●	●	●	●	●	●	●
T-Bar White Marble (TA.MRWH)	●	●	●	●	●	●	●	●	●
T-Bar Light Terrazzo (TA.TZLT)	●	●	●	●	●	●	●	●	●
T-Bar Dark Walnut (TA.WNWD)	●	●	●	●	●	●	●	●	●
R-Bar Faceted (RA.FA)	●	●	●	●	●		●	●	●
R-Bar Hammered (RA.HA)	●	●	●	●	●		●	●	●
R-Bar Knurled (RA.KN)	●	●	●	●	●	●	●	●	●
R-Bar Straight Knurled (RA.SK)	●	●	●	●	●	●	●	●	●
R-Bar Tribeca (RA.TR)	●	●	●	●	●		●	●	●
R-Bar Smooth (RA.SM)	●	●	●	●	●	●	●	●	●
R-Bar Green Marble (RA.MRGN)	●	●	●	●	●	●	●	●	●
R-Bar Rosso Levanto (RA.MRRD)	●	●	●	●	●	●	●	●	●
R-Bar White Marble (RA.MRWH)	●	●	●	●	●	●	●	●	●
R-Bar Light Terrazzo (RA.TZLT)	●	●	●	●	●	●	●	●	●
R-Bar Dark Walnut (RA.WNWD)	●	●	●	●	●	●	●	●	●

MODERN BRASS LEVERS

CLASSIC


Athena Lever
(ATN)


Helios Lever
(HLO)


Hermes Lever
(HER)


Luzern Lever
(LU)


Poseidon Lever
(POS)


Stuttgart Lever
(STU)

DESIGNER


Argos Lever
(AG)


Aston Lever
(AST)


Basel Lever
(BA)


Breslin Lever
(BRL)


Dumont Lever
(DT)


Freestone Lever*
(FRL)


Geneva Lever *
(GV)


Hercules Lever
(HEC)


Mercury Lever
(MC)


Myles Lever *
(MYL)


Sion Lever
(SIO)


Spencer Lever
(SPN)


Triton Lever
(TRT)

TRADITIONAL AND TRANSITIONAL BRASS LEVERS

CLASSIC


Cortina Lever
(C)


Manning Lever
(MNG)


Merrimack Lever
(ME)


Milano Lever
(M)


Turino Lever
(T)

DESIGNER


Coventry Lever
(CV)


Elan Lever
(EN)


Ribbon & Reed Lever
(RBL)


Rope Lever
(RL)


Rustic Lever
(R)


Santa Fe Lever
(SF)


Wembley Lever
(WM)

ARTS & CRAFTS


Arts & Crafts Lever
(AC)


Hammered Lever
(HM)

* Note: You will need to ensure the necessary opening/closing clearance when using certain lever designs. Dimensions from the center of the stem to the end of the lever overhang have been provided: Geneva 1⅛", Myles ¾", Freestone 1".

		US3 Lifetime	US4	US7	US10B	US14 Lifetime	US15	US15A	US19	US26	US3NL
Modern Classic Brass Levers	Athena Lever (ATN)		●	●	●	●	●		●	●	●
	Helios Lever (HLO)		●	●	●	●	●		●	●	●
	Hermes Lever (HER)		●	●	●	●	●		●	●	●
	Luzern Lever (LU)		●	●	●	●	●		●	●	●
	Poseidon Lever (POS)		●	●	●	●	●		●	●	●
	Stuttgart Lever (STU)		●	●	●	●	●		●	●	●
Modern Designer Brass Levers	Argos Lever (AG)		●	●	●	●	●		●	●	●
	Aston Lever (AST)		●	●	●	●	●		●	●	●
	Basel Lever (BA)		●	●	●	●	●		●	●	●
	Breslin Lever (BRL)		●	●	●	●	●		●	●	●
	Dumont Lever (DT)		●	●	●	●	●		●	●	●
	Freestone Lever (FRL)		●	●	●	●	●		●	●	●
	Geneva Lever (GV)		●	●	●	●	●		●	●	●
	Hercules Lever (HEC)		●	●	●	●	●		●	●	●
	Mercury Lever (MC)		●	●	●	●	●		●	●	●
	Myles Lever (MYL)		●	●	●	●	●		●	●	●
	Sion Lever (SIO)		●	●	●	●	●		●	●	●
	Spencer Lever (SPN)		●	●	●	●	●		●	●	●
	Triton Lever (TRT)		●	●	●	●	●		●	●	●
Classic Brass Levers	Cortina Lever (C)	●	●	●	●	●	●	●	●	●	●
	Manning Lever (MNG)	●	●	●	●	●	●	●	●	●	●
	Merrimack Lever (ME)	●	●	●	●	●	●	●	●	●	●
	Milano Lever (M)	●	●	●	●	●	●	●	●	●	●
	Turino Lever (T)	●	●	●	●	●	●	●	●	●	●
Designer Brass Levers	Coventry Lever (CV)	●		●	●		●	●		●	●
	Elan Lever (EN)	●		●	●		●	●		●	●
	Ribbon & Reed Lever (RBL)	●		●	●		●	●		●	●
	Rope Lever (RL)	●		●	●		●	●		●	●
	Rustic Lever (R)	●		●	●		●	●		●	●
	Santa Fe Lever (SF)	●		●	●		●	●		●	●
	Wembley Lever (WM)	●		●	●		●	●		●	●
Arts & Crafts Levers	Arts & Crafts Lever (AC)				●		●		●		●
	Hammered Lever (HM)				●		●		●		●

SANDCAST BRONZE LEVERS



Aurora Lever
(AR)



Bryce Lever
(BR)



Cimarron Lever
(CR)



Cody Lever
(CD)



Durango Lever
(D)



Lariat Lever
(LR)



Mariposa Lever
(MA)



Montrose Lever
(MT)



Teton Lever
(TT)



Yuma Lever*
(YM)

TUSCANY BRONZE LEVERS



Medici Lever
(MDI)



Napoli Lever
(NA)



Octagon Lever
(OCL)



Padua Lever
(PD)

WROUGHT STEEL LEVERS



Lafayette Lever
(L)



Normandy Lever
(N)



San Carlos Lever
(SC)

* Note: You will need to ensure the necessary opening/closing clearance when using certain lever designs. Dimensions from the center of the stem to the end of the lever overhang have been provided: Yuma 1⅛".

		FB	MB	TWB
Sandcast Bronze Levers	Aurora Lever (AR)	●	●	●
	Bryce Lever (BR)	●	●	●
	Cimarron Lever (CR)	●	●	●
	Cody Lever (CD)	●	●	●
	Durango Lever (D)	●	●	●
	Lariat Lever (LR)	●	●	●
	Mariposa Lever (MA)	●	●	●
	Montrose Lever (MT)	●	●	●
	Teton Lever (TT)	●	●	●
	Yuma Lever (YM)	●	●	●
Tuscany Bronze Levers	Medici Lever (MDI)	●	●	
	Napoli Lever (NA)	●	●	
	Octagon Lever (OCL)	●	●	
	Padua Lever (PD)	●	●	


		FBS	SWS
Wrought Steel Levers	Lafayette Lever (L)	●	●
	Normandy Lever (N)	●	●
	San Carlos Lever (SC)	●	●

LARGE MULTI POINT ENTRY SETS

American Cylinder Hub, Above / Below Handle
3⅝" Center to Center

2⅜" Minimum Backset Required
ref. G-U®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Modern Rectangular
American Cylinder *Above* Handle
2½" x 17½" Keyed



Brass Modern Rectangular
American Cylinder *Below* Handle
2½" x 17½" Keyed


BRASS PLATES, MODERN RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2 ½" x 17 ½" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$705**
Keyed with American Cylinder, Hub ***ABOVE*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1R21			
Non-Keyed Passage	1L1R22			
Non-Keyed American Style Thumbturn Inside	1L1R23			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1R24			
Dummy Pair	1L1R25			
Keyed with American Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1R11			
Non-Keyed Passage	1L1R12			
Non-Keyed American Style Thumbturn Inside	1L1R13			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1R14			
Dummy Pair	1L1R15			

***Unlacquered Brass (US3NL)** finish available for a $25 List Price upcharge per item

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**





Brass Melrose
American Cylinder *Above* Handle
2⅞" x 17½" Keyed



Brass Melrose
American Cylinder *Below* Handle
2⅞" x 17½" Keyed

BRASS PLATES, MELROSE STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2 ⅞" x 17 ½" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$705**
Keyed with American Cylinder, Hub ***ABOVE*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1M21			
Non-Keyed Passage	1L1M22			
Non-Keyed American Style Thumbturn Inside	1L1M23			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1M24			
Dummy Pair	1L1M25			
Keyed with American Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1M11			
Non-Keyed Passage	1L1M12			
Non-Keyed American Style Thumbturn Inside	1L1M13			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1M14			
Dummy Pair	1L1M15			

***Unlacquered Brass (US3NL)** finish available for a $25 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

LARGE MULTI POINT ENTRY SETS

American Cylinder Hub, Above / Below Handle
3⅝" Center to Center

2⅜" Minimum Backset Required
ref. G-U®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Bronze Arched
American Cylinder *Above* Handle
3" x 17½" Keyed




Sandcast Bronze Arched
American Cylinder *Below* Handle
3" x 17½" Keyed


SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 3" x 17 ½" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$905**
Keyed with American Cylinder, Hub ***ABOVE*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1A21			
Non-Keyed Passage	1L1A22			
Non-Keyed American Style Thumbturn Inside	1L1A23			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1A24			
Dummy Pair	1L1A25			
Keyed with American Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1L1A11			
Non-Keyed Passage	1L1A12			
Non-Keyed American Style Thumbturn Inside	1L1A13			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1A14			
Dummy Pair	1L1A15			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2⅜"	Extended Door Thickness: Over 2⅜" to 3"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Long single cylinder tailpiece for 1 ⅞" - 2 ¼" thick door • Extra long single cylinder tailpiece for 2 ⅜" thick door • 4 ½" Steel spindle • 2" Rosette screws for 1 ⅞" - 2" thick door • 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 2 ½" Rosette screws for 2 ½" thick door • 3" Rosette screws for 2 ⅝" - 3" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2⅜"	Extended Door Thickness: Over 2⅜" to 3"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Long Thumbturn tailpiece for 1 ⅞" - 2 ¼" thick door • Extra long thumbturn tailpiece for 2 ⅜" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 1 ⅞" - 2" thick door • 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 2 ½" Rosette screws for 2 ½" thick door • 3" Rosette screws for 2 ⅝" - 3" thick door

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX** " next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position


LARGE MULTI POINT ENTRY SETS Specification Sheet for Components and Door Thickness

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

American Cylinder ***Above*** Handle




American Cylinder ***Below*** Handle





Non-Keyed with Cylinder Plugs, Passage (for Semi-Active Door)

American Cylinder ***Above*** Handle




American Cylinder ***Below*** Handle






Non-Keyed with Cylinder Plug, American Style Thumbturn Inside (for Active Door)

American Cylinder ***Above*** Handle




American Cylinder ***Below*** Handle




Non-Keyed with Cylinder Plugs, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

American Cylinder ***Above*** Handle




American Cylinder ***Below*** Handle




Dummy Pair with Cylinder Plugs (for Non-Active Door)

American Cylinder ***Above*** Handle



American Cylinder ***Below*** Handle




LARGE MULTI POINT ENTRY SETS

Euro Cylinder Hub, Below Handle
3⅝" Center-to-Center

2⅜" Minimum Backset Required
ref. G-U®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Modern Rectangular
Euro Cylinder *Below* Handle
2½" x 17½" Keyed

BRASS PLATES, MODERN RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2 ½" x 17 ½" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$705**
Keyed with Euro Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Rekeyable)	1L1R51			
Non-Keyed Passage	1L1R52			
Non-Keyed Euro Style Thumbturn Inside	1L1R53			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1R54			
Dummy Pair	1L1R55			

***Unlacquered Brass (US3NL)** finish available for a $25 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.


Weiser® keyway & Construction Key NOT available for Euro cylinder.

LARGE MULTI POINT ENTRY SETS

Euro Cylinder Hub, Below Handle
3⅝" Center-to-Center

2⅜" Minimum Backset Required
ref. G-U®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Melrose
Euro Cylinder *Below* Handle
2⅞" x 17½" Keyed


BRASS PLATES, MELROSE STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2 ⅞" x 17 ½" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$705**
Keyed with Euro Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Rekeyable)	1L1M51			
Non-Keyed Passage	1L1M52			
Non-Keyed Euro Style Thumbturn Inside	1L1M53			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1M54			
Dummy Pair	1L1M55			

***Unlacquered Brass (US3NL)** finish available for a $25 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.

Weiser® keyway & Construction Key NOT available for Euro cylinder.

To order: **Product Code** + **Lever Style** + **Handing** + **Finish Code**






Sandcast Bronze Arched
Euro Cylinder ***Below*** Handle
3" x 17½" Keyed

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 3" x 17½" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$905**
Keyed with Euro Cylinder, Hub ***BELOW*** Handle (Schlage® Keyway standard, Rekeyable)	1L1A51			
Non-Keyed Passage	1L1A52			
Non-Keyed Euro Style Thumbturn Inside	1L1A53			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1L1A54			
Dummy Pair	1L1A55			


Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
- Not available for use with interconnect device.

Weiser® keyway & Construction Key NOT available for Euro cylinder.

LARGE MULTI POINT ENTRY SETS Specification Sheet for Components and Door Thickness



DOOR THICKNESS	KEYED	NON-KEYED
1 ⅝" - 2 ⅛"	CY4-ERSGL32	CY4-ERHLF19TT
2 ¼" - 2 ½"	CY4-ERSGL35	CY4-ERHLF21TT
2 ⅝" - 2 ⅞"	CY4-ERSGL4	CY4-ERHLF23TT



Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: 1⅝" to 1¾"

- 3 ⁵⁄₃₂" Euro profile cylinder
- 3 ¾" Steel spindle
- 2" Rosette screws

Extended Door Thickness: Over 1¾" to 2⅜"

- 3 ⁵⁄₃₂" Euro profile cylinder for 1 ⅞" - 2 ⅛" thick door
- 3 ¹⁷⁄₃₂" Euro profile cylinder for 2 ¼" - 2 ⅜" thick door
- 4 ½" Steel spindle
- 2" Rosette screws for 1 ⅞" - 2" thick door
- 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door

Extended Door Thickness: Over 2⅜" to 2⅞"

- 3 ¹⁷⁄₃₂" Euro profile cylinder for 2 ½" thick door
- 4" Euro profile cylinder for 2 ⅝" - 2 ⅞" thick door
- 5" Steel spindle
- 2 ½" Rosette screws for 2 ½" thick door
- 3" Rosette screws for 2 ⅝" - 3" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: 1⅝" to 1¾"

- 1 ³¹⁄₃₂" Euro profile cylinder
- 3 ¾" Steel spindle
- 2" Half spindle for fixed handle out/operating handle in
- 2" Rosette screws

Extended Door Thickness: Over 1¾" to 2⅜"

- 4 ½" Steel spindle
- 2" Half spindle for fixed handle out/operating handle in
- 2" Rosette screws for 1 ⅞" - 2" thick door
- 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door

Extended Door Thickness: Over 2⅜" to 2⅞"

- 5" Steel spindle
- 2 ½" Half spindle for fixed handle out/operating handle in
- 2 ½" Rosette screws for 2 ½" thick door
- 3" Rosette screws for 2 ⅝" - 3" thick door


Charge for Re-Keying - $3 (NET) per cylinder

- Keying to Code
  - Order by indicating "**Key Code XXXXX** " next to applicable locks

- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_** " next to applicable locks


Keyed with Euro Profile Cylinder (for Active Door, Schlage® Keyway Standard, Rekeyable)


Euro Cylinder ***Below*** Handle



Non-Keyed with Cylinder Plugs, Passage (for Semi-Active Door)


Euro Cylinder ***Below*** Handle






Non-Keyed with Cylinder Plug, Euro Profile Style Thumbturn Inside (for Active Door)

Euro Cylinder ***Below*** Handle




Non-Keyed with Cylinder Plugs, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Euro Cylinder ***Below*** Handle



Dummy Pair with Cylinder Plugs (for Non-Active Door)

Euro Cylinder ***Below*** Handle




DOOR CONFIGURATION #1

American Cylinder Hub Below Handle
3⅝" Center-to-Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen® Marvin Integrity®, Paddock Lockmaster™, Superior®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Non-Keyed
Rustic Levers



Brass Concord
2" x 10½" Keyed
Cortina Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1171			
Non-Keyed Passage	1172			
Non-Keyed American Style Thumbturn Inside	1173			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1174			
Dummy Pair	1175			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1181			
Non-Keyed Passage	1182			
Non-Keyed American Style Thumbturn Inside	1183			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1184			
Dummy Pair	1185			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Non-Keyed
Luzern Levers



Brass Modern
2" x 10" Keyed
Triton Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11A1			
Non-Keyed Passage	11A2			
Non-Keyed American Style Thumbturn Inside	11A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11A4			
Dummy Pair	11A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	11B1			
Non-Keyed Passage	11B2			
Non-Keyed American Style Thumbturn Inside	11B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	11B4			
Dummy Pair	11B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #1

American Cylinder Hub Below Handle
3⅝" Center-to-Center

ref. Atrium®, G-U®, KML by Andersen®, Andersen®
Marvin Integrity®, Paddock Lockmaster™, Superior®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Non-Keyed
Cimarron Levers



Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1111			
Non-Keyed Passage	1112			
Non-Keyed American Style Thumbturn Inside	1113			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1114			
Dummy Pair	1115			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1121			
Non-Keyed Passage	1122			
Non-Keyed American Style Thumbturn Inside	1123			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1124			
Dummy Pair	1125			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
1½" x 11" Non-Keyed
Cody Levers



Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1151			
Non-Keyed Passage	1152			
Non-Keyed American Style Thumbturn Inside	1153			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1154			
Dummy Pair	1155			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1161			
Non-Keyed Passage	1162			
Non-Keyed American Style Thumbturn Inside	1163			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1164			
Dummy Pair	1165			



Tuscany Bronze
1½" x 11⅛" Non-Keyed
Octagon Levers




Tuscany Bronze
2" x 10½" Keyed
Medici Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1131			
Non-Keyed Passage	1132			
Non-Keyed American Style Thumbturn Inside	1133			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1134			
Dummy Pair	1135			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1141			
Non-Keyed Passage	1142			
Non-Keyed American Style Thumbturn Inside	1143			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1144			
Dummy Pair	1145			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration # 1 American Cylinder Below Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 1 ½" Rosette screws	• Long single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Long single cylinder tailpiece for 2 ⅛" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 3" Rosette screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 1 ½" Rosette screws	• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Long Thumbturn tailpiece for 2 ⅛" - 2 ½" thick door • Extra Long thumbturn tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws


Charge for Re-Keying - $3 (NET) per cylinder

- Keying to Code
  - Order by indicating "**Key Code XXXXX** " next to applicable locks


- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Atrium®, G-U®, KML by Andersen®, Andersen®, Marvin Elevate®, Paddock Lockmaster™, Superior®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1111, 1131, 1151, 1171, 11A1**




Product Codes **1121, 1141, 1161, 1181, 11B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1112, 1132, 1152, 1172, 11A2**




Product Codes **1122, 1142, 1162, 1182, 11B2**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1113, 1133, 1153, 1173, 11A3**




Product Codes **1123, 1143, 1163, 1183, 11B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Plates, Product Codes **1114, 1134, 1154, 1174, 11A4**




Product Codes **1124, 1144, 1164, 1184, 11B4**




Dummy Pair (for Non-Active Door)

Plates, Product Codes **1115, 1135, 1155, 1175, 11A5**



Product Codes **1125, 1145, 1165, 1185, 11B5**




DOOR CONFIGURATION #2

American Cylinder Hub Above Handle
3⅝" Center-to-Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Non-Keyed
Turino Levers



Brass Concord
2" x 10½" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1271			
Non-Keyed Passage	1272			
Non-Keyed American Style Thumbturn Inside	1273			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1274			
Dummy Pair	1275			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1281			
Non-Keyed Passage	1282			
Non-Keyed American Style Thumbturn Inside	1283			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1284			
Dummy Pair	1285			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.


Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Non-Keyed
Helios Levers



Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12A1			
Non-Keyed Passage	12A2			
Non-Keyed American Style Thumbturn Inside	12A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12A4			
Dummy Pair	12A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	12B1			
Non-Keyed Passage	12B2			
Non-Keyed American Style Thumbturn Inside	12B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	12B4			
Dummy Pair	12B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #2

American Cylinder Hub Above Handle
3⅝" Center-to-Center

ref. BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Keyed
Durango Levers



Sandcast Arched
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1211			
Non-Keyed Passage	1212			
Non-Keyed American Style Thumbturn Inside	1213			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1214			
Dummy Pair	1215			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1221			
Non-Keyed Passage	1222			
Non-Keyed American Style Thumbturn Inside	1223			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1224			
Dummy Pair	1225			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1251			
Non-Keyed Passage	1252			
Non-Keyed American Style Thumbturn Inside	1253			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1254			
Dummy Pair	1255			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1261			
Non-Keyed Passage	1262			
Non-Keyed American Style Thumbturn Inside	1263			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1264			
Dummy Pair	1265			



Tuscany Bronze
1½" x 11⅛" Non-Keyed
Napoli Levers




Tuscany Bronze
2" x 10½" Non-Keyed
Padua Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1231			
Non-Keyed Passage	1232			
Non-Keyed American Style Thumbturn Inside	1233			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1234			
Dummy Pair	1235			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, rekeyable)	1241			
Non-Keyed Passage	1242			
Non-Keyed American Style Thumbturn Inside	1243			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1244			
Dummy Pair	1245			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #2 American Cylinder Above Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 1 ½" Rosette screws	• Long single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Long single cylinder tailpiece for 2 ⅛" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅜" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 3" Rosette screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 1 ½" Rosette screws	• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Long Thumbturn tailpiece for 2 ⅛" - 2 ½" thick door • Extra long thumbturn tailpiece for 2 ⅜" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws


Charge for Re-Keying - $3 (NET) per cylinder

- Keying to Code
  - Order by indicating "**Key Code XXXXX** " next to applicable locks


- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


BiltBest®, G-U®, Hurd® (Energy Saver), Andersen®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1211, 1231, 1251, 1271, 12A1**




Product Codes **1221, 1241, 1261, 1281, 12B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1212, 1232, 1252, 1272, 12A2**




Product Codes **1222, 1242, 1262, 1282, 12B2**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1213, 1233, 1253, 1273, 12A3**




Product Codes **1223, 1243, 1263, 1283, 12B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1214, 1234, 1254, 1274, 12A4**




Product Codes **1224, 1244, 1264, 1284, 12B4**




Dummy Pair (for Non-Active Door)

Product Codes **1215, 1235, 1255, 1275, 12A5**



Product Codes **1225, 1245, 1265, 1285, 12B5**




DOOR CONFIGURATION #3

American Cylinder Hub Above Handle
4⅛" Center-to-Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Keyed
Wembley Levers



Brass Concord
2" x 10½" Non-Keyed
Rope Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1371			
Non-Keyed Passage	1372			
Non-Keyed American Style Thumbturn Inside	1373			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1374			
Dummy Pair	1375			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1381			
Non-Keyed Passage	1382			
Non-Keyed American Style Thumbturn Inside	1383			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1384			
Dummy Pair	1385			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Keyed
R-Bar. Straight Knurled Levers



Brass Modern
2" x 10" Keyed
Helios Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13A1			
Non-Keyed Passage	13A2			
Non-Keyed American Style Thumbturn Inside	13A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13A4			
Dummy Pair	13A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	13B1			
Non-Keyed Passage	13B2			
Non-Keyed American Style Thumbturn Inside	13B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	13B4			
Dummy Pair	13B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #3

American Cylinder Hub Above Handle
4⅛" Center-to-Center

ref. Andersen®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Keyed
Durango Levers



Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1311			
Non-Keyed Passage	1312			
Non-Keyed American Style Thumbturn Inside	1313			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1314			
Dummy Pair	1315			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1321			
Non-Keyed Passage	1322			
Non-Keyed American Style Thumbturn Inside	1323			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1324			
Dummy Pair	1325			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1351			
Non-Keyed Passage	1352			
Non-Keyed American Style Thumbturn Inside	1353			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1354			
Dummy Pair	1355			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1361			
Non-Keyed Passage	1362			
Non-Keyed American Style Thumbturn Inside	1363			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1364			
Dummy Pair	1365			



Tuscany Bronze
1½" x 11⅛" Keyed
Medici Levers




Tuscany Bronze
2" x 10½" Non-Keyed
Padua Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1331			
Non-Keyed Passage	1332			
Non-Keyed American Style Thumbturn Inside	1333			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1334			
Dummy Pair	1335			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1341			
Non-Keyed Passage	1342			
Non-Keyed American Style Thumbturn Inside	1343			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1344			
Dummy Pair	1345			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #3 American Cylinder Above Handle 4 ⅛" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Configuration 3 cylinder tailpiece • 3 ¾" Steel spindle • 1 ½" Rosette screws	• Configuration 3 cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Configuration 3 cylinder tailpiece • 4 ½" Steel spindle • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Configuration 3 cylinder tailpiece • 5" Steel spindle • 3" Rosette screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Configuration 3 thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 1 ½" Rosette screws	• Configuration 3 thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Configuration 3 thumbturn tailpiece • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Configuration 3 thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position


Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Andersen®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1311, 1331, 1351, 1371, 13A1**




Product Codes **1321, 1341, 1361, 1381, 13B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1312, 1332, 1352, 1372, 13A2**




Product Codes **1322, 1342, 1362, 1382, 13B2**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1313, 1333, 1353, 1373, 13A3**




Product Codes **1323, 1343, 1363, 1383, 13B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1314, 1334, 1354, 1374, 13A4**




Product Codes **1324, 1344, 1364, 1384, 13B4**




Dummy Pair (for Non-Active Door)

Product Codes **1315, 1335, 1355, 1375, 13A5**



Product Codes **1325, 1345, 1365, 1385, 13B5**




DOOR CONFIGURATION #4

American Cylinder Hub Above Handle
3⅝" Center-to-Center

ref. Ashland®, G-U®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors





Brass Concord
1½" x 11" Keyed
Coventry Levers



Brass Concord
2" x 10½" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1471			
Non-Keyed Passage	1472			
Non-Keyed American Style Thumbturn Inside	1473			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1474			
Dummy Pair	1475			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1481			
Non-Keyed Passage	1482			
Non-Keyed American Style Thumbturn Inside	1483			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1484			
Dummy Pair	1485			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Keyed
R-Bar. Straight Knurled Levers



Brass Modern
2" x 10" Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14A1			
Non-Keyed Passage	14A2			
Non-Keyed American Style Thumbturn Inside	14A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14A4			
Dummy Pair	14A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	14B1			
Non-Keyed Passage	14B2			
Non-Keyed American Style Thumbturn Inside	14B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	14B4			
Dummy Pair	14B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.


DOOR CONFIGURATION #4

American Cylinder Hub Above Handle
3⅝" Center-to-Center

ref. Ashland®, G-U®, Caradco®, JELD-WEN®
Jeldwen® Custom Collection (formerly Pozzi®)
Marvin®, PGT®, Premium Collection (formerly Norco®)
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.

See Configuration #1 for Marvin Integrity® Doors





Sandcast Arched
1½" x 11" Keyed
Montrose Levers



Sandcast Arched
2" x 10" Non-Keyed
Cody Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1411			
Non-Keyed Passage	1412			
Non-Keyed American Style Thumbturn Inside	1413			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1414			
Dummy Pair	1415			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1421			
Non-Keyed Passage	1422			
Non-Keyed American Style Thumbturn Inside	1423			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1424			
Dummy Pair	1425			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
1½" x 11" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1451			
Non-Keyed Passage	1452			
Non-Keyed American Style Thumbturn Inside	1453			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1454			
Dummy Pair	1455			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1461			
Non-Keyed Passage	1462			
Non-Keyed American Style Thumbturn Inside	1463			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1464			
Dummy Pair	1465			



Tuscany Bronze
1½" x 11⅛" Non-Keyed
Napoli Levers




Tuscany Bronze
2" x 10½" Keyed
Napoli Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1431			
Non-Keyed Passage	1432			
Non-Keyed American Style Thumbturn Inside	1433			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1434			
Dummy Pair	1435			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1441			
Non-Keyed Passage	1442			
Non-Keyed American Style Thumbturn Inside	1443			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1444			
Dummy Pair	1445			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #4 American Cylinder Above Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Long single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws for 1 ⅞" thick door • 2 ½" Rosette screws for 2" thick door	• Long single cylinder tailpiece for 2 ⅛" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door • 3" Rosette screws for 2 ½" - 2 ¾" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 3" Rosette screws for 2 ⅞" thick door • 3 ½" Rosette screws for 3" - 3 ¼" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 1 ⅞" thick door • 2 ½" Rosette screws for 2" thick door	• Long Thumbturn tailpiece for 2 ⅛" - 2 ½" thick door • Extra long thumbturn tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door • 3" Rosette screws for 2 ½" - 2 ¾" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws for 2 ⅞" thick door • 3 ½" Rosette screws for 3" - 3 ¼" thick door

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Ashland®, G-U®, Caradco®, JELD-WEN®, Jeldwen® Custom Collection (formerly Pozzi®), Marvin®, PGT®, Premium Collection (formerly Norco®), Weathershield®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1411, 1431, 1451, 1471, 14A1**




Product Codes **1421, 1441, 1461, 1481, 14B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1412, 1432, 1452, 1472, 14A2**




Product Codes **1422, 1442, 1462, 1482, 14B2**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1413, 1433, 1453, 1473, 14A3**




Product Codes **1423, 1443, 1463, 1483, 14B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1414, 1434, 1454, 1474, 14A4**




Product Codes **1424, 1444, 1464, 1484, 14B4**




Dummy Pair (for Non-Active Door)

Product Codes **1415, 1435, 1455, 1475, 14A5**



Product Codes **1425, 1445, 1465, 1485, 14B5**




DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle
3⅝" Center-to-Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®
Lincoln®, Loewen®, Oknoplast®, Paddock Lockmaster™,
Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®
Therma-Tru®, Vetter®, Willmar®, Windsor®
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Keyed
Turino Levers



Brass Concord
2" x 10½" Keyed
Rustic Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1571			
Non-Keyed Passage	1572			
Non-Keyed Euro Profile Thumbturn Inside	1573			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1574			
Dummy Pair	1575			
Sets with 2" x 10½" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1581			
Non-Keyed Passage	1582			
Non-Keyed Euro Profile Thumbturn Inside	1583			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1584			
Dummy Pair	1585			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway & Construction Key NOT available for Euro cylinder.

To order: **Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Keyed
Hermes Levers



Brass Modern
2" x 10" Keyed
Triton Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15A1			
Non-Keyed Passage	15A2			
Non-Keyed Euro Profile Thumbturn Inside	15A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15A4			
Dummy Pair	15A5			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	15B1			
Non-Keyed Passage	15B2			
Non-Keyed Euro Profile Thumbturn Inside	15B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	15B4			
Dummy Pair	15B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required

- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser® keyway & Construction Key NOT available for Euro cylinder.

DOOR CONFIGURATION #5

Euro Profile Cylinder Below Handle
3⅝" Center-to-Center

ref. Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®
Lincoln®, Loewen®, Oknoplast®, Paddock Lockmaster™,
Peachtree®, Semco®, Sierra Pacific®, Signature®, Simpson®
Therma-Tru®, Vetter®, Willmar®, Windsor®
Weathershield®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Keyed
Lariat Levers



Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1511			
Non-Keyed Passage	1512			
Non-Keyed Euro Profile Thumbturn Inside	1513			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1514			
Dummy Pair	1515			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1521			
Non-Keyed Passage	1522			
Non-Keyed Euro Profile Thumbturn Inside	1523			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1524			
Dummy Pair	1525			

Handing Required
• Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
• Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway & Construction Key NOT available for Euro cylinder.

To order: **Product Code** + **Lever Style** + **Handing** + **Finish Code**

Sandcast Rectangular
1½" x 11" Keyed
Teton Levers



Sandcast Rectangular
2" x 10" Non-Keyed
Montrose Levers



SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1551			
Non-Keyed Passage	1552			
Non-Keyed Euro Profile Thumbturn Inside	1553			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1554			
Dummy Pair	1555			
Sets with 2" x 10" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1561			
Non-Keyed Passage	1562			
Non-Keyed Euro Profile Thumbturn Inside	1563			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1564			
Dummy Pair	1565			

Tuscany Bronze
1½" x 11⅛" Keyed
Octagon Levers



Tuscany Bronze
2" x 10½" Keyed
Padua Levers



TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1531			
Non-Keyed Passage	1532			
Non-Keyed Euro Profile Thumbturn Inside	1533			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1534			
Dummy Pair	1535			
Sets with 2" x 10½" Plates				
Keyed with Euro Profile Cylinder (Schlage® Keyway standard, Rekeyable)	1541			
Non-Keyed Passage	1542			
Non-Keyed Euro Profile Thumbturn Inside	1543			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1544			
Dummy Pair	1545			


Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser® keyway & Construction Key NOT available for Euro cylinder.


Door Configuration #5
Euro Profile Cylinder Below Handle
3 5/8" Center-to-Center




DOOR THICKNESS	KEYED
1 5/8" - 1 3/4"	CY4-ERSGL25
1 7/8" - 2 1/4"	CY4-ERSGL32
2 3/8" - 2 3/4"	CY4-ERSGL35
2 7/8" - 3 1/4"	CY4-ERSGL4



DOOR THICKNESS	NON-KEYED
1 5/8" - 1 7/8"	CY4-ERHLF16TT
2" - 2 3/8"	CY4-ERHLF19TT
2 1/2" - 2 3/4"	CY4-ERHLF21TT
2 7/8" - 3 1/4"	CY4-ERHLF23TT





Keyed Plates with Euro Profile Cylinder

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• 2 9/16" Euro profile cylinder • 3 ¾" Steel spindle • 1 ½" Rosette screws	• 3 5/32" Euro profile cylinder • 3 ¾" Steel spindle • 2" Rosette screws	• 3 5/32" Euro profile cylinder for 2 1/8" - 2 1/4" thick door • 3 17/32" Euro profile cylinder for 2 3/8" - 2 3/4" thick door • 4 ½" Steel spindle • 2" Rosette screws for 2 1/8" - 2 1/4" thick door • 2 ½" Rosette screws for 2 3/8" - 2 3/4" thick door	• 4" Euro profile cylinder • 5" Steel spindle • 3" Rosette screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• 1 21/32" Euro profile cylinder • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operatin handle in • 1 ½" Rosette screws	3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 1/8" - 2 1/4" thick door • 2 ½" Rosette screws for 2 3/8" - 2 3/4" thick door	• 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks

- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks


Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Crestline®, Hoppe®, Hurd®, KFV®, Kolbe & Kolbe®, Lincoln®, Loewen®, Oknoplast®, Paddock Lockmaster™
Peachtree®, Semco®Sierra Pacific®, Signature®, Simpson®, Therma-Tru®, Vetter®, Willmar®, Windsor®, Weathershield®

Keyed with Euro Profile Cylinder (for Active Door, Schlage® Keyway Standard, Rekeyable)

Product Codes **1511, 1531, 1551, 1571, 15A1**




Plates, Product Codes **1521, 1541, 1561, 1581, 15B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1512, 1532, 1552, 1572, 15A2**




Product Codes **1522, 1542, 1562, 1582, 15B2**




Non-Keyed, Euro Profile Style Thumbturn Inside (for Active Door)

Product Codes **1513, 1533, 1553, 1573, 15A3**




Product Codes **1523, 1543, 1563, 1583, 15B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1514, 1534, 1554, 1574, 15A4**




Product Codes **1524, 1544, 1564, 1584, 15B4**




Dummy Pair (for Non-Active Door)

Product Codes **1515, 1535, 1555, 1575, 15A5**



Product Codes **1525, 1545, 1565, 1585, 15B5**




DOOR CONFIGURATION #6

American Cylinder Hub Below Handle
3⅝" Center-to-Center


ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Concord
1½" x 11" Keyed
Cortina Levers



Brass Concord
2" x 10½" Non-Keyed
Santa Fe Levers

BRASS PLATES, CONCORD STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Polished Brass - Lifetime (US3) French Antique (US7) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Pewter (US15A) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1671			
Non-Keyed Passage	1672			
Non-Keyed American Style Thumbturn Inside	1673			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1674			
Dummy Pair	1675			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1681			
Non-Keyed Passage	1682			
Non-Keyed American Style Thumbturn Inside	1683			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1684			
Dummy Pair	1685			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Brass Modern
1½" x 11" Non-Keyed
Hercules Levers



Brass Modern
2" x 10" Non-Keyed
Luzern Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16A1			
Non-Keyed Passage	16A2			
Non-Keyed American Style Thumbturn Inside	16A3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16A4			
Dummy Pair	16A5			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	16B1			
Non-Keyed Passage	16B2			
Non-Keyed American Style Thumbturn Inside	16B3			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	16B4			
Dummy Pair	16B5			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #6

American Cylinder Hub Below Handle
3⅝" Center-to-Center

ref. Milgard®, Pella®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Non-Keyed
Teton Levers



Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1611			
Non-Keyed Passage	1612			
Non-Keyed American Style Thumbturn Inside	1613			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1614			
Dummy Pair	1615			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1621			
Non-Keyed Passage	1622			
Non-Keyed American Style Thumbturn Inside	1623			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1624			
Dummy Pair	1625			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
1½" x 11" Non-Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Montrose Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1651			
Non-Keyed Passage	1652			
Non-Keyed American Style Thumbturn Inside	1653			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1654			
Dummy Pair	1655			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1661			
Non-Keyed Passage	1662			
Non-Keyed American Style Thumbturn Inside	1663			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1664			
Dummy Pair	1665			



Tuscany Bronze
1½" x 11⅛" Keyed
Octagon Levers




Tuscany Bronze
2" x 10½" Non-Keyed
Napoli Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1631			
Non-Keyed Passage	1632			
Non-Keyed American Style Thumbturn Inside	1633			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1634			
Dummy Pair	1635			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1641			
Non-Keyed Passage	1642			
Non-Keyed American Style Thumbturn Inside	1643			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1644			
Dummy Pair	1645			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #6 American Cylinder Below Handle 3 5/8" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 1 ½" Rosette screws	• Long single cylinder tailpiece • 3 ¾" Steel spindle • 1 ½" Rosette screws	• Long single cylinder tailpiece for 2 ⅛" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 3" Rosette screws

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 1 ½" Rosette screws	• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Long Thumbturn tailpiece for 2 ⅛" - 2 ½" thick door • Extra long thumbturn tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 ⅛" - 2 ¼" thick door • 2 ½" Rosette screws for 2 ⅜" - 2 ¾" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position


Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.
Milgard®, Pella®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1611, 1631, 1651, 1671, 16A1**




Product Codes **1621, 1641, 1661, 1681, 16B1**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1612, 1632, 1652, 1672, 16A2**




Product Codes **1622, 1642, 1662, 1682, 16B2**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1613, 1633, 1653, 1673, 16A3**




Product Codes **1623, 1643, 1663, 1683, 16B3**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1614, 1634, 1654, 1674, 16A4**




Product Codes **1624, 1644, 1664, 1684, 16B4**




Dummy Pair (for Non-Active Door)

Product Codes **1615, 1635, 1655, 1675, 16A5**



Product Codes **1625, 1645, 1665, 1685, 16B5**




DOOR CONFIGURATION #7

American Cylinder Hub Above Handle
6″ Center-to-Center

ref. Trillenium® (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Brass Modern
2″ x 10″ Keyed
Poseidon Levers



Brass Modern
2″ x 10″ Non-Keyed
Hercules Levers

BRASS PLATES, MODERN STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10″ Plates		*See Pages 10-13 for Brass Lever Options.*	Satin Brass (US4) Oil Rubbed Bronze (US10B) Polished Nickel - Lifetime (US14) Satin Nickel (US15) Flat Black (US19) Polished Chrome (US26) **Unlacquered Brass (US3NL)***	**$393**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	17B1			
Non-Keyed American Style Thumbturn Inside	17B3			
Dummy Pair	17B5			
Non-Keyed American Style Thumbturn Inside, Fixed Handles	17B6			

***Unlacquered Brass (US3NL)** finish available for a $20 List Price upcharge per item.

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾″. Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Sandcast Rectangular
2" x 10" Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Non-Keyed
Lariat Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1761			
Non-Keyed American Style Thumbturn Inside	1763			
Dummy Pair	1765			
Non-Keyed American Style Thumbturn Inside, Fixed Handles	1766			



Sandcast Arched
2" x 10" Keyed
Montrose Levers



Sandcast Arched
2" x 10" Non-Keyed
Cody Levers


SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2" x 10" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1721			
Non-Keyed American Style Thumbturn Inside	1723			
Dummy Pair	1725			
Non-Keyed American Style Thumbturn Inside, Fixed Handles	1726			

DOOR CONFIGURATION #7

American Cylinder Hub Above Handle
6″ Center-to-Center

ref. Trillenium® (formerly W&F Manufacturing)

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Tuscany Bronze
2″ x 10½″ Keyed
Padua Levers



Tuscany Bronze
2″ x 10½″ Non-Keyed
Napoli Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 2″ x 10½″ Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1741			
Non-Keyed American Style Thumbturn Inside	1743			
Dummy Pair	1745			
Non-Keyed American Style Thumbturn Inside, Fixed Handles	1746			


Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾″. Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**

Door Configuration #7 American Cylinder Above Handle 6" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2⅜"	Extended Door Thickness: Over 2⅜" to 2⅞"
• Single cylinder tailpiece • 2" Steel spindles (half-spindle) • 2" Rosette screws	• Long single cylinder tailpiece for 1 ⅞" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅝" thick door • 2" Steel spindles (half-spindle) • 2" Rosette screws for 1 ⅞" thick door • 2 ½" Rosette screws for 2" - 2 ⅜" thick door • 3" Rosette screws for 2 ½" - 2 ⅝" thick door	• Extra long single cylinder tailpiece • 2 ½" Steel spindles (half-spindle) • 3" Rosette screws for 2 ¾" - 2 ⅞" thick door • 3 ½" Rosette screws for 3" - 3 ¼" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, & dummy (uses screws only)


Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2⅜"	Extended Door Thickness: Over 2⅜" to 2⅞"
• Thumbturn tailpiece • 2" Steel spindles (half-spindle) • 2" Rosette screws	• Long thumbturn tailpiece for 1 ⅞" - 2 ½" thick door • Extra long thumbturn tailpiece for 2 ⅝" thick door • 2" Steel spindles (half-spindle) • 2" Rosette screws for 1 ⅞" thick door • 2 ½" Rosette screws for 2" - 2 ⅜" thick door • 3" Rosette screws for 2 ½" - 2 ⅝" thick door	• Extra long single cylinder tailpiece • 2 ½" Steel spindles (half-spindle) • 3" Rosette screws for 2 ¾" - 2 ⅞" thick door • 3 ½" Rosette screws for 3" - 3 ¼" thick door

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions



Dimples drilled in plug in this position


DOOR CONFIGURATION #7 Specification Sheet for Components and Door Thickness

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Trillenium® (formerly W&F Manufacturing)


Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1721, 1741,1761, 17B1**




Non-Keyed, American Style Thumbturn Inside (Active Door)

Product Codes **1723, 1743, 1763, 17B3**




Dummy Pair (for Non-Active Door)

Product Codes **1725, 1745, 1765, 17B5**



Non-Keyed, Fixed Handles, American Style Thumbturn Inside (for Semi-Active Door)

Product Codes **1726, 1746, 1766, 17B6**




DOOR CONFIGURATION #8

American Cylinder Hub Above Handle
5¼" Center-to-Center

ref. Neuma Doors®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Rectangular
1½" x 11" Non-Keyed
Lariat Levers



Sandcast Rectangular
2" x 10" Keyed
Teton Levers

SANDCAST BRONZE PLATES, RECTANGULAR STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1851			
Non-Keyed Passage	1852			
Non-Keyed American Style Thumbturn Inside	1853			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1854			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1861			
Non-Keyed Passage	1862			
Non-Keyed American Style Thumbturn Inside	1863			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1864			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

DOOR CONFIGURATION #8

American Cylinder Hub Above Handle
5¼" Center to Center

ref. Neuma Doors®

Each Multi Point Lock Trim now includes the Spring Assist function which returns the lever to the neutral position and eliminates sagging handles.





Sandcast Arched
1½" x 11" Non-Keyed
Cimarron Levers



Sandcast Arched
2" x 10" Keyed
Durango Levers

SANDCAST BRONZE PLATES, ARCHED STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11" Plates		*See Pages 14-15 for Sandcast Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB) Tumbled White Bronze (TWB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1811			
Non-Keyed Passage	1812			
Non-Keyed American Style Thumbturn Inside	1813			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1814			
Sets with 2" x 10" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1821			
Non-Keyed Passage	1822			
Non-Keyed American Style Thumbturn Inside	1823			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1824			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

To order: **(W) Product Code** + **Lever Style** + **Handing** + **Finish Code**



Tuscany Bronze
1½" x 11⅛" Non-Keyed
Octagon Levers




Tuscany Bronze
2" x 10½" Keyed
Medici Levers


TUSCANY BRONZE PLATES, TUSCANY STYLE	Product Code	Lever Style (LH/RH)	Finish	List Price
Sets with 1½" x 11⅛" Plates		*See Pages 14-15 for Tuscany Bronze Lever Options.*	Flat Black Bronze (FB) Medium Bronze (MB)	**$437**
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1831			
Non-Keyed Passage	1832			
Non-Keyed American Style Thumbturn Inside	1833			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1834			
Sets with 2" x 10½" Plates				
Keyed with American Cylinder (Schlage® Keyway standard, Weiser® Keyway optional, Rekeyable)	1841			
Non-Keyed Passage	1842			
Non-Keyed American Style Thumbturn Inside	1843			
Non-Keyed Fixed Handle Outside, Operating Handle Inside	1844			

Handing Required
- Key codes may be specified. Fits standard door thickness of 1¾". Specify if thicker.
- Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.

Weiser®(WR5) Keyway
- Specify by adding "W" to the beginning of Product Code.
- No upcharge for cylinder substitution. Can be keyed into existing Weiser® system.

Door Configuration #8 American Cylinder Above Handle 5 ¼" Center-to-Center





Keyed Plates with American Cylinder Includes non-keyed thumbturn inside

Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws	• Long single cylinder tailpiece • 3 ¾" Steel spindle • 2" Rosette screws for 1 ⅞" thick door • 2 ½" Rosette screws for 2" thick door	• Long single cylinder tailpiece for 2 ⅛" - 2 ½" thick door • Extra long single cylinder tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2 ½" Rosette screws for 2 ⅛" - 2 ⅜" thick door • 3" Rosette screws for 2 ½" - 2 ¾" thick door	• Extra long single cylinder tailpiece • 5" Steel spindle • 3" Rosette screws for 2 ⅞" thick door • 3 ½" Rosette screws for 3" - 3 ¼" thick door

Non-Keyed Plates Includes non-keyed passage, fixed handle out/operating handle in, and dummy (uses screws only)


Standard Door Thickness: from 1⅝" to 1¾"	Extended Door Thickness: Over 1¾" to 2"	Extended Door Thickness: Over 2" to 2¾"	Extended Door Thickness: Over 2¾" to 3¼"
• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 1 ½" Rosette screws	• Thumbturn tailpiece • 3 ¾" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws	• Long Thumbturn tailpiece for 2 ⅛" - 2 ½" thick door • Extra long thumbturn tailpiece for 2 ⅝" - 2 ¾" thick door • 4 ½" Steel spindle • 2" Half spindle for fixed handle out/operating handle in • 2" Rosette screws for 2 ⅛" - 2 ⅜" thick door • 2 ½" Rosette screws for 2 ½" - 2 ¾" thick door	• Extra long thumbturn tailpiece • 5" Steel spindle • 2 ½" Half spindle for fixed handle out/operating handle in • 3" Rosette screws

Charge for Re-Keying - $3 (NET) per cylinder


- Keying to Code
  - Order by indicating "**Key Code XXXXX**" next to applicable locks
- Keying Alike
  - Order by indicating "**Keyed Alike**" next to applicable locks if only one keyed alike group is wanted
  - If ordering multiple groups (houses) indicate "**Keyed Alike House #_**" next to applicable locks

Charge for Construction Keying - $4 (NET) per cylinder

- Locks that are both construction keyed and keyed alike in a house group will be charged a total of **$7 (NET) per cylinder**
- Lost ball system
- Last four pin locations drilled for lost ball application
- Master key pins used for code variability
- Construction keys and owner keys sent separately
- Order by indicating "**Construction Keyed, House #_**" next to applicable locks



Construction devices used on one or more of last four positions




Dimples drilled in plug in this position

Set includes plates, handles and cylinders (where applicable). Multi Point lock mechanism is not included.


Neuma Doors®

Keyed with American Cylinder (for Active Door, Schlage® Keyway Standard, Weiser® Keyway Optional, Rekeyable)

Product Codes **1811, 1831, 1851**




Product Codes **1821, 1841, 1861**




Non-Keyed, Passage (for Semi-Active Door)

Product Codes **1812, 1832, 1852**




Product Codes **1822, 1842, 1862**




Non-Keyed, American Style Thumbturn Inside (for Active Door)

Product Codes **1813, 1833, 1853**




Product Codes **1823, 1843, 1863**




Non-Keyed, Fixed Handle Outside, Operating Handle Inside (for Semi-Active Door)

Product Codes **1814, 1834, 1854**



Product Codes **1824, 1844, 1864**



PRODUCT INDEX

PRODUCT CODE	PAGE
1L1A11	18
1L1A12	18
1L1A13	18
1L1A14	18
1L1A15	18
1L1A21	18
1L1A22	18
1L1A23	18
1L1A24	18
1L1A25	18
1L1A51	23
1L1A52	23
1L1A53	23
1L1A54	23
1L1A55	23
1L1M11	17
1L1M12	17
1L1M13	17
1L1M14	17
1L1M15	17
1L1M21	17
1L1M22	17
1L1M23	17
1L1M24	17
1L1M25	17
1L1M51	22
1L1M52	22
1L1M53	22
1L1M54	22
1L1M55	22
1L1R11	16
1L1R12	16
1L1R13	16
1L1R14	16
1L1R15	16
1L1R21	16
1L1R22	16
1L1R23	16
1L1R24	16
1L1R25	16
1L1R51	21
1L1R52	21
1L1R53	21
1L1R54	21
1L1R55	21
11A1	27, 31
11A2	27, 31
11A3	27, 31
11A4	27, 31
11A5	27, 31
11B1	27, 31
11B2	27, 31
11B3	27, 31
11B4	27, 31
11B5	27, 31
12A1	33, 37
12A2	33, 37
12A3	33, 37
12A4	33, 37
12A5	33, 37
12B1	33, 37
12B2	33, 37
12B3	33, 37
12B4	33, 37
12B5	33, 37
13A1	39, 43
13A2	39, 43
13A3	39, 43
13A4	39, 43
13A5	39, 43
13B1	39, 43
13B2	39, 43
13B3	39, 43
13B4	39, 43
13B5	39, 43
14A1	45, 49
14A2	45, 49
14A3	45, 49
14A4	45, 49
14A5	45, 49
14B1	45, 49
14B2	45, 49
14B3	45, 49
14B4	45, 49
14B5	45, 49
15A1	51, 55
15A2	51, 55
15A3	51, 55
15A4	51, 55
15A5	51, 55
15B1	51, 55
15B2	51, 55
15B3	51, 55
15B4	51, 55
15B5	51, 55
16A1	57, 61
16A2	57, 61
16A3	57, 61
16A4	57, 61
16A5	57, 61
16B1	57, 61
16B2	57, 61
16B3	57, 61
16B4	57, 61
16B5	57, 61
17B1	62, 66
17B3	62, 66
17B5	62, 66
17B6	62, 66
1111	28, 31
1112	28, 31
1113	28, 31
1114	28, 31
1115	28, 31
1121	28, 31
1122	28, 31
1123	28, 31
1124	28, 31
1125	28, 31
1131	29, 31
1132	29, 31
1133	29, 31
1134	29, 31
1135	29, 31
1141	29, 31
1142	29, 31
1143	29, 31
1144	29, 31
1145	29, 31
1151	29, 31
1152	29, 31
1153	29, 31
1154	29, 31
1155	29, 31
1161	29, 31
1162	29, 31
1163	29, 31
1164	29, 31
1165	29, 31
1171	26, 31
1172	26, 31
1173	26, 31
1174	26, 31
1175	26, 31
1181	26, 31
1182	26, 31
1183	26, 31
1184	26, 31
1185	26, 31
1211	34, 37
1212	34, 37
1213	34, 37
1214	34, 37
1215	34, 37
1221	34, 37
1222	34, 37
1223	34, 37
1224	34, 37
1225	34, 37
1231	35, 37
1232	35, 37
1233	35, 37
1234	35, 37
1235	35, 37
1241	35, 37
1242	35, 37
1243	35, 37
1244	35, 37
1245	35, 37
1251	35, 37
1252	35, 37
1253	35, 37
1254	35, 37
1255	35, 37
1261	35, 37
1262	35, 37
1263	35, 37
1264	35, 37
1265	35, 37
1271	32, 37
1272	32, 37
1273	32, 37
1274	32, 37
1275	32, 37
1281	32, 37
1282	32, 37
1283	32, 37
1284	32, 37
1285	32, 37
1311	40, 43
1312	40, 43
1313	40, 43
1314	40, 43
1315	40, 43
1321	40, 43
1322	40, 43
1323	40, 43
1324	40, 43
1325	40, 43
1331	41, 43
1332	41, 43
1333	41, 43
1334	41, 43
1335	41, 43

PRODUCT CODE	PAGE
1341	41, 43
1342	41, 43
1343	41, 43
1344	41, 43
1345	41, 43
1351	41, 43
1352	41, 43
1353	41, 43
1354	41, 43
1355	41, 43
1361	41, 43
1362	41, 43
1363	41, 43
1364	41, 43
1365	41, 43
1371	38, 43
1372	38, 43
1373	38, 43
1374	38, 43
1375	38, 43
1381	38, 43
1382	38, 43
1383	38, 43
1384	38, 43
1385	38, 43
1411	46, 49
1412	46, 49
1413	46, 49
1414	46, 49
1415	46, 49
1421	46, 49
1422	46, 49
1423	46, 49
1424	46, 49
1425	46, 49
1431	47, 49
1432	47, 49
1433	47, 49
1434	47, 49
1435	47, 49
1441	47, 49
1442	47, 49
1443	47, 49
1444	47, 49
1445	47, 49
1451	47, 49
1452	47, 49
1453	47, 49
1454	47, 49
1455	47, 49
1461	47, 49
1462	47, 49
1463	47, 49
1464	47, 49
1465	47, 49
1471	44, 49
1472	44, 49
1473	44, 49
1474	44, 49
1475	44, 49
1481	44, 49
1482	44, 49
1483	44, 49
1484	44, 49
1485	44, 49
1511	52, 55
1512	52, 55
1513	52, 55
1514	52, 55
1515	52, 55
1521	52, 55
1522	52, 55
1523	52, 55
1524	52, 55
1525	52, 55
1531	53, 55
1532	53, 55
1533	53, 55
1534	53, 55
1535	53, 55
1541	53, 55
1542	53, 55
1543	53, 55
1544	53, 55
1545	53, 55
1551	53, 55
1552	53, 55
1553	53, 55
1554	53, 55
1555	53, 55
1561	53, 55
1562	53, 55
1563	53, 55
1564	53, 55
1565	53, 55
1571	50, 55
1572	50, 55
1573	50, 55
1574	50, 55
1575	50, 55
1581	50, 55
1582	50, 55
1583	50, 55
1584	50, 55
1585	50, 55
1611	58, 61
1612	58, 61
1613	58, 61
1614	58, 61
1615	58, 61
1621	58, 61
1622	58, 61
1623	58, 61
1624	58, 61
1625	58, 61
1631	59, 61
1632	59, 61
1633	59, 61
1634	59, 61
1635	59, 61
1641	59, 61
1642	59, 61
1643	59, 61
1644	59, 61
1645	59, 61
1651	59, 61
1652	59, 61
1653	59, 61
1654	59, 61
1655	59, 61
1661	59, 61
1662	59, 61
1663	59, 61
1664	59, 61
1665	59, 61
1671	56, 61
1672	56, 61
1673	56, 61
1674	56, 61
1675	56, 61
1681	56, 61
1682	56, 61
1683	56, 61
1684	56, 61
1685	56, 61
1721	63, 66
1723	63, 66
1725	63, 66
1726	63, 66
1741	64, 66
1743	64, 66
1745	64, 66
1746	64, 66
1761	63, 66
1763	63, 66
1765	63, 66
1766	63, 66
1811	68, 71
1812	68, 71
1813	68, 71
1814	68, 71
1821	68, 71
1822	68, 71
1823	68, 71
1824	68, 71
1831	69, 71
1832	69, 71
1833	69, 71
1834	69, 71
1841	69, 71
1842	69, 71
1843	69, 71
1844	69, 71
1851	67, 71
1852	67, 71
1853	67, 71
1854	67, 71
1861	67, 71
1862	67, 71
1863	67, 71
1864	67, 71

EMTEK®

Multi Point Lock Trim Order Form

Acct#

Order Placed By

Date

Billing Information

Company Name

Address

City State, Zip

Telephone

Shipping Address

Company Name

Address

City State, Zip

Telephone

PO#

Note

QTY	Configuration	Product Code	Lever Style	Handing (LH/RH)	Finish	Price

Please Fax Order Form to (800) 577-5771
or Email to orders@emtek.com

LIFETIME LIMITED WARRANTY

Subject to the terms and conditions of this warranty, EMTEK Products Group LLC ("Company") extends a lifetime limited warranty* to the original consumer user ("Original User") of our product ("Product") against defects in material and workmanship, as long as the Original User occupies the residential premises upon which the Product was originally installed.

**Electronic components warranted TWO (2) YEARS*

This warranty only applies to the Original User of the Products. This warranty is not transferable. This warranty applies to all products sold on or after April 2, 2012.

Original User: The Original User will return the defective Product to the retailer from whom it was purchased, accompanied by a statement of defects and proof of purchase.

What EMTEK will do: Upon return of the defective Product to EMTEK for inspection, free and clear of all liens and encumbrances and accompanied by the statement of defects and proof of purchase, EMTEK's sole obligation, at its option, is to either repair or replace the Product, or refund the original retailer purchase price in exchange for the Product.

THE COMPANY MAKES NO OTHER WARRANTY OTHER THAN AS EXPRESSLY STATED HEREIN, AND ALL IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE HEREBY EXCLUDED.

THE COMPANY'S MAXIMUM LIABILITY HEREUNDER IS LIMITED TO THE PURCHASE PRICE OF THE PRODUCT. IN NO EVENT SHALL THE COMPANY BE LIABLE FOR ANY CONSEQUENTIAL, INDIRECT, INCIDENTAL OR SPECIAL AND/OR PUNITIVE DAMAGES OF ANY NATURE ARISING FROM THE SALE OR USE OF THE PRODUCT, WHETHER BASED ON CONTRACT, WARRANTY, TORT, STRICT LIABILITY, PATENT INFRINGEMENT, OR OTHERWISE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some local laws do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion or limitation may not apply to you. This warranty gives specific legal rights and a buyer may also have other rights which may vary from state to state.

WHAT IS NOT COVERED: THE FOLLOWING COSTS, EXPENSES AND DAMAGES ARE NOT COVERED BY THE PROVISIONS OF THIS LIMITED WARRANTY: (I) LABOR COSTS INCLUDING, BUT NOT LIMITED TO, SUCH COSTS AS THE REMOVAL AND RE-INSTALLATION OF PRODUCT; AND (II) SHIPPING AND FREIGHT EXPENSES REQUIRED TO RETURN PRODUCT TO EMTEK.

THE PROVISIONS OF THIS WARRANTY DO NOT APPLY TO PRODUCTS: (I) USED IN COMMERCIAL APPLICATIONS; (II) USED IN COMMON AREA APPLICATIONS; (III) USED FOR PURPOSES FOR WHICH THEY ARE NOT DESIGNED OR INTENDED; (IV) WHICH HAVE BEEN SUBJECTED TO ALTERATION, ABUSE, MISUSE, NEGLIGENCE OR ACCIDENT; (V) WHICH HAVE BEEN IMPROPERLY STORED, INSTALLED, MAINTAINED OR OPERATED; (VI) WHICH HAVE BEEN USED IN VIOLATION OF WRITTEN INSTRUCTIONS PROVIDED BY EMTEK; (VII) WHICH HAVE BEEN SUBJECTED TO IMPROPER TEMPERATURE, HUMIDITY OR OTHER ENVIRONMENTAL CONDITIONS; OR (VIII) WHICH, BASED ON EMTEK'S EXAMINATION, DO NOT DISCLOSE TO EMTEK'S SATISFACTION NON-CONFORMANCE TO THE WARRANTY. Additionally, this warranty DOES NOT COVER scratches, abrasions, or deterioration due to the use of paints, solvents or other chemicals.

Finish Warranty: Polished Brass-Lifetime and Polished Nickel-Lifetime finishes carry a lifetime limited finish warranty. There is no finish warranty on Deep Burgundy, Flat Black Patina, Medium Bronze Patina, Polished White Bronze, Rust, Silver Patina, Tumbled White Bronze, and Unlacquered Brass finishes. All other finishes carry a five-year finish warranty.

Emtek SELECT Lever and Knob(s) with Marble, Terrazzo, and Walnut handles feature a living finish that will age gracefully and evolve over time, enhancing the character of your space. Due to this unique characteristic, no finish warranty is offered on these products. All SELECT lever and knobs featuring Marble, Terrazzo and Walnut are intended for indoor use.

Warranty claims: Please contact the retailer from whom the defective product was purchased. If assistance is needed, please contact EMTEK Customer Service at:

EMTEK Products Group LLC
Tel: (800) 356-2741

THE STORY OF A LIFE WELL CRAFTED™

HOUSEOFROHL.COM
EMTEK.COM
SCHAUBANDCOMPANY.COM

Riobel | Perrin & Rowe London | 1897 Shaws England | victoria + albert® | Rohl

Schaub | EMTEK

@HOUSEOFROHL
@EMTEK_PRODUCTS
@SCHAUBHARDWARE

EMTEK & Schaub | Tel: 800-356-2741
Fax: 800-577-5771
BX4-3PTPRICEBK-2026

Effective July 10, 2026—This price book supersedes all prices found in previous price books and is subject to change without notice.
Sold exclusively through fine decorative plumbing & hardware showrooms nationwide. Printed in USA.